

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claim 1 (Original): A method comprising:

displaying a diagram representing at least a portion of a human body;  
receiving a selection of a part of the displayed human body; and  
presenting first aid information as a function of the selection.

Claim 2 (Original): The method of claim 1, in which the portion of the human body is a first portion, the method further comprising displaying a second portion of the human body as a function of the selection, in which the second portion depicts a more specific region of the body than the first portion.

Claim 3 (Original): The method of claim 1, further comprising:

generating an interrogation as a function of the selection;  
receiving a response to the interrogation; and  
presenting the first aid information as a function of the response.

Claim 4 (Original): The method of claim 1, further comprising summoning emergency medical personnel as a function of the selection.

Claim 5 (Original): The method of claim 1, further comprising delivering a therapy to a patient as a function of the selection.

Claim 6 (Original): The method of claim 1, further comprising delivering an electrotherapy to a patient.

Claim 7 (Original): The method of claim 6, in which the electrotherapy comprises a defibrillation therapy.

Claim 8 (Original): The method of claim 1, in which receiving a selection comprises sensing contact on a touch screen that displays the part of the human body,

Claim 9 (Original): The method of claim 1, further comprising presenting an acknowledgement of the selected part.

Claim 10 (Original): The method of claim 1, in which the first aid information comprises at least one of a presumptive first aid diagnosis, an instruction that directs a use of a first aid supply, and an instruction that directs an application of a first aid technique.

Claim 11 (Original): The method of claim 1, further comprising generating an alarm as a function of the selection.

Claim 12 (Original): A method comprising:

- presenting a menu of patient conditions;
- receiving a selection from the menu; and
- presenting first aid information as a function of the selection.

Claim 13 (Original): The method of claim 12, in which the selection comprises first patient status information, the method further comprising:

- receiving second patient status information from an input device; and
- presenting the first aid information as a function of the second patient status information.

Claim 14 (Original): The method of claim 12, in which the selection comprises first patient status information, the method further comprising:

- receiving second patient status information from a sensor; and
- presenting the first aid information as a function of the second patient status information.

Claim 15 (Original): The method of claim 12, in which the menu is a first menu, the method further comprising presenting a second menu of patient conditions as a function of the selection.

Claim 16 (Original): The method of claim 12, further comprising:  
generating an interrogation as a function of the selection;  
receiving a response to the interrogation; and  
presenting the first aid information as a function of the response.

Claim 17 (Original): The method of claim 12, further comprising summoning emergency medical personnel as a function of the selection.

Claim 18 (Original): The method of claim 12, further comprising delivering a therapy to a patient as a function of the selection.

Claim 19 (Original): The method of claim 12, further comprising delivering electrotherapy to a patient.

Claim 20 (Original): The method of claim 19, in which the electrotherapy comprises a defibrillation therapy.

Claim 21 (Original): The method of claim 12, further comprising generating an alarm as a function of the selection.

Claim 22 (Original): The method of claim 12, in which the first aid information comprises at least one of a presumptive first aid diagnosis, an instruction that directs a use of a first aid supply, and an instruction that directs an application of a first aid technique.

Claim 23 (Original): The method of claim 12, in which presenting first aid information comprises directing an operator to apply a sensor to the patient.

Claim 24 (Original): The method of claim 12, in which presenting first aid information comprises recommending a course of action.

Claim 25 (Original): A device comprising:

- an electrical source to generate electrotherapy;
- at least two electrodes coupled to the electrical source to deliver the electrotherapy to a patient; and
- at least one output device to present first aid information.

Claim 26 (Original): The device of claim 25, in which the electrotherapy comprises defibrillation therapy.

Claim 27 (Original): The device of claim 25, in which the output device comprises at least one of a touch screen, an LCD display, an LED display, an OLED display, a CRT display, an electroluminescent display, a plasma display, and a synthetic speech module.

Claim 28 (Original): The device of claim 25, further comprising a compartment to hold a first aid supply.

Claim 29 (Original): The device of claim 25, further comprising an input device to receive patient status information.

Claim 30 (Original): The device of claim 29, in which the input device comprises at least one of a touch screen, a button, a keyboard, a voice recognition module and a pointing tool.

Claim 31 (Original): The device of claim 25, further comprising a sensor to receive patient status information.

Claim 32 (Original): The device of claim 31, in which the sensor comprises at least one of an ECG monitor, an oxygen sensor, a carbon dioxide sensor, a respiratory sensor, a blood pressure sensor, a set of electrodes, and a temperature sensor.

Claim 33 (Original): The device of claim 25, further comprising a communication module.

Claim 34 (Original): The device of claim 33, in which the communication module is configured to summon emergency medical personnel.

Claim 35 (Original): The device of claim 25, further comprising an alarm module to generate an alarm.

Claim 36 (Original): The device of claim 25, further comprising a memory to store at least one of patient status information and first aid information.

Claim 37 (Original): The device of claim 36, further comprising an output device to output at least one of the patient status information and the first aid information stored in the memory.

Claim 38 (Original): The device of claim 25, in which the first aid information comprises first aid information about chest pain.

Claim 39 (Original): A computer-readable medium comprising instructions for causing a programmable processor to:

- display a diagram representing at least a portion of a human body;
- receive a selection of a part of the displayed human body; and
- present first aid information as a function of the selection.

Claim 40 (Original): The medium of claim 39, in which the portion of the human body is a first portion and the instructions further causing the processor to display a second portion of the human body as a function of the selection, in which the second portion depicts a more specific region of the body than the first portion.

Claim 41 (Original): The medium of claim 39, the instructions further causing the processor to:  
generate an interrogation as a function of the selection;  
receive a response to the interrogation; and  
present the first aid information as a function of the response.

Claim 42 (Original): The medium of claim 39, the instructions further causing the processor to summon emergency medical personnel as a function of the selection.

Claim 43 (Original): The medium of claim 39, the instructions further causing the processor to deliver a therapy to a patient as a function of the selection.

Claim 44 (Original): The medium of claim 39, the instructions further causing the processor to generate an alarm as a function of the selection.

Claim 45 (Original): A computer-readable medium comprising instructions for causing a programmable processor to:

present a menu of patient conditions;  
receive a selection from the menu; and  
present first aid information as a function of the selection.

Claim 46 (Original): The medium of claim 45, the instruction further causing the processor to:  
receive patient status information from an input device; and  
present the first aid information as a function of the patient status information.

Claim 47 (Original): The medium of claim 45, in which the menu is a first menu the instruction further causing the processor to present a second menu of patient conditions as a function of the selection.

Claim 48 (Original): The medium of claim 45, the instruction further causing the processor to:  
generate an interrogation as a function of the selection;

receive a response to the interrogation; and

present the first aid information as a function of the response.

Claim 49 (Original): The medium of claim 45, the instruction further causing the processor to summon emergency medical personnel as a function of the selection.

Claim 50 (Original): The medium of claim 45, the instruction further causing the processor to deliver a therapy to a patient as a function of the selection.

Claim 51 (Original): The medium of claim 45, the instruction further causing the processor to generate an alarm as a function of the selection.

Claim 52 (Original): A method comprising:

receiving a first aid procedure;

storing the first aid procedure in memory; and

presenting first aid information as a function of the first aid procedure.

Claim 53 (Original): The method of claim 52, in which receiving the first aid procedure comprises receiving the first aid procedure via a network.

Claim 54 (Original): The method of claim 52, in which the first aid procedure is an updated first aid procedure, the method further comprising replacing an older first aid procedure with the updated first aid procedure.

Claim 55 (Original): The method of claim 52, in which the first aid procedure is an updated first aid sub-procedure, the method further comprising adding the first aid sub-procedure to an older first aid procedure.

Claim 56 (Original): A computer-readable medium comprising instructions for causing a programmable processor to:

- receive a first aid procedure;
- store the first aid procedure in memory; and
- present first aid information as a function of the first aid procedure.

Claim 57 (Original): The medium of claim 56, in which the first aid procedure is an updated first aid procedure, the instructions further causing the processor to replace an older first aid procedure with the updated first aid procedure.

Claim 58 (Original): A method comprising:

- requesting first patient status information associated with a patient;
- receiving the first patient status information;
- storing in memory the received first patient status information associated with the patient;
- receiving second patient status information; and
- presenting first aid information as a function of the first and second patient status information.

Claim 59 (Original): The method of claim 58, in which the first patient status information comprises at least one of a name of the patient, an age of the patient, a birth date of the patient, a gender of the patient, an ethnicity of the patient, a blood type of the patient, a height of the patient, a weight of the patient, a medical history of the patient, an alcohol usage of the patient, a tobacco usage of the patient, and a medication taken by the patient.

Claim 60 (Original): The method of claim 58, further comprising presenting a menu of patient conditions, in which receiving second patient status information comprises receiving a selection from the menu.

Claim 61 (Original): The method of claim 58, further comprising:  
receiving an identification of the patient; and  
presenting first aid information as a function of the first patient status information associated with the identified patient.

Claim 62 (Original): A computer-readable medium comprising instructions for causing a programmable processor to:  
request first patient status information associated with a patient;  
receive the first patient status information;  
store in memory the received first patient status information associated with the patient;  
receive second patient status information;  
present first aid information as a function of the first and second patient status information.

Claim 63 (Original): The medium of claim 62, the instructions further causing the processor to present a menu of patient conditions, in which the instructions causing the processor to receive second patient status information cause the processor to receive a selection from the menu.

Claim 64 (Original): The medium of claim 62, the instructions further causing the processor to:  
receive an identification of the patient; and  
present first aid information as a function of the first patient status information associated with the identified patient.

Claim 65 (Original): A method comprising:

directing a person to apply at least one defibrillation electrode to a conscious patient;  
measuring the electrocardiogram of the patient via the defibrillation electrode; and  
presenting first aid information as a function of the measurement.

Claim 66 (Original): The method of claim 65, further comprising:

generating an interrogation as a function of the measurement;  
receiving a response to the interrogation; and  
presenting the first aid information as a function of the response.

Claim 67 (Original): A method comprising:

receiving first patient status information from a first sensor;  
receiving second patient status information from a second sensor; and  
presenting the first aid information as a function of the first and second patient status information.

Claim 68 (Original): The method of claim 67, further comprising:

generating an interrogation as a function of the first and second patient status information;  
receiving a response to the interrogation; and  
presenting the first aid information as a function of the response.

Claim 69 (Original): The method of claim 67, in which the first sensor comprises at least one of an ECG monitor, an oxygen sensor, a carbon dioxide sensor, a respiratory sensor, a blood pressure sensor, a set of electrodes, and a temperature sensor.

Claim 70 (Original): A system comprising:

- a first sensor to receive first patient status information;
- a second sensor to receive second patient status information; and
- at least one output device to present first aid information as a function of the first patient status information and the second patient status information.

Claim 71 (Original): The system of claim 70, in which the output device comprises at least one of a touch screen, an LCD display, an LED display, OLED display, a CRT display, an electroluminescent display, a plasma display, and a synthetic speech module.

Claim 72 (Original): The system of claim 70, further comprising a compartment to hold a first aid supply.

Claim 73 (Original): The system of claim 70, further comprising an input device to receive patient status information.

Claim 74 (Original): The system of claim 70, in which the first sensor comprises at least one of an ECG monitor, an oxygen sensor, a carbon dioxide sensor, a respiratory sensor, a blood pressure sensor, a set of electrodes, and a temperature sensor.

Claim 75 (Original): A method comprising:

- receiving an identification of a patient;
- retrieving from memory patient status information associated with the identified patient;
- and
- presenting first aid information as a function of the patient status information.

Claim 76 (Original): The method of claim 75, further comprising presenting a menu of patients, and in which receiving the identification of the patient comprises receiving a selection from the menu.

Claim 77 (Original): The method of claim 75, in which receiving the identification of the patient comprises receiving a signal from a sensor.

Claim 78 (Original): A computer-readable medium comprising instructions for causing a programmable processor to:

- receive an identification of a patient;
- retrieve from memory patient status information associated with the identified patient;
- and
- present first aid information as a function of the patient status information.

Claim 79 (Original): The medium of claim 78, the instructions further causing the processor to present a menu of patients, and in which the instructions causing the processor to receive the identification of the patient cause the processor to receive a selection from the menu.

Claim 80 (Original): The medium of claim 78, in which the instructions causing the processor to receive the identification of the patient comprise instructions causing the processor to receive a signal from a sensor.

Claim 81 (New):       The device of claim 25,  
                  in which the output device is further configured to display a diagram representing at least a portion of a human body and to receive a selection of a part of the displayed human body, and  
                  in which the output device is further configured to present the first aid information as a function of the selection.

Claim 82 (New):       The device of claim 25, in which the output device is a first output device, the device further comprising:  
                  a second output device configured to display a diagram representing at least a portion of a human body and to receive a selection of a part of the displayed human body, and  
                  in which the first output device is further configured to present the first aid information as a function of the selection.